



## IWH 50 X01 KI

Instanturi TESY 24/7





Постоянна температура на топлата вода



Instalare simpla, produsul ocupa un spatiu redus



Robinet metalic de amestec al fluxului de apa

## Informatii principale

- Debit constant de apa calda
- Tehnologie incorporata pentru mentinerea temeperaturii optime
- Incalzire instantanee
- Dimensiuni compacte si usor de montat
- Eficienta inalta
- Atingerea temperaturii de confort intr-un timp foarte scurt
- Aparatul nu este influentat de fluctuatia presiunii in retea de alimentare cu apa
- Robinet de amestec metalic
- Cablu de alimentare cu stecher inclus

Caracteristici tehnice	
Tensiune de alimentare [V/Hz]	230-230V/50Hz
Putere nominala [W]	5000
Principiu de operare	Presiune atmosferica
Instalare	Deasupra lavoarului
Folosire	Bucatarie
Debit ACM ( $\Delta t$ 25°C)	2.8 l/min
Presiunea de functionare [Mpa]	0 Mpa
Racord hidraulic INTRARE/IESIRE	10 mm
Siguranta fuzibila recomandata [A]	20 A
Cablu de alimentare recomandat	2.5 mm <sup>2</sup>
Kit de accesorii	Robinet de amestec metalic
Dimensiuni H/ l/ D [m]	0.200 x 0.130 x 0.076 m
Greutate neta [kg]	1.240
Garantie	n/a